Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	82261	generat\$3 near2 (ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:03
S1	315469	generat\$3 with (ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:38
S2	7185	S1 WITH (port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:37
S3	82152	generat\$3 near2 (ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 12:03
S4	1307	S3 WITH (port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 08:36
S 5	436806	generat\$3 with (address\$3 ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:38
S6	453	(710/3).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2006/08/29 12:38
\$7	236	S5 AND S6	IBM_TDB US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:38
S 8	13678	S5 WITH (port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:38
S9	34	S8 AND S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:40

S10	725	(709/222).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 12:40
S11	34	S8 AND S9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:40
S12	20	S8 AND S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 12:40
513	49	("20040088463" "6938181" "20040133819" "6351819" "20050091438" "20050010709" "6122756" "5561760" "4071902" "4564943" "4800564" "5218367" "5818343" "5892973" "6311255" "6725396" "6918055" "20020087868" "20020095625" "20040078721" "5835727" "5848233" "5884024" "6073178" "6212563" "6212563" "5922049" "6023464" "6029196" "6070242" "6076110" "6088725" "6236652" "6282642" "6289377" "6317826" "6393484" "6424654" "6611859" "6629145" "6651092" "6671720" "6687820" "6792474" "6871346" "6892229" "6898701" "6917964" "6928282" "6928538").pn.	US-PGPUB; USPAT	OR	ON	2006/08/29 14:46
S14	315469	generat\$3 with (ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/29 15:02
S15	348032	(ID identifi\$7 location offset locus loci) with (memory storage)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 14:58
S16	302891	(download send retrieve get transfer\$3 assign\$3) with (ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:01
S17	42344	S14 AND S15 AND S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:00
S18	6584	S14 SAME S15 SAME S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:01

Page 2

S19	7185	generat\$3 with (ID identifi\$7 location offset locus loci) with (port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:03
S20	336	S19 SAME S15 SAME S16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:02
S21	13416	(download send retrieve get transfer\$3 assign\$3) with (ID identifi\$7 location offset locus loci) with (port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:01
S22	302	S19 SAME S15 SAME S21	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:03
S23	762	generat\$3 NEAR4 ((port slot adapter connector) NEAR2 (ID identifi\$7 location offset locus loci))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:03
S24	14	S23 SAME S15 SAME S21	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 15:03
S25	156	generat\$3 NEAR5 DHCP NEAR3 (ID identifi\$7 location locus loci IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:16
S26	142	generat\$3 NEAR4 DHCP NEAR3 (ID identifi\$7 location locus loci IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:16
S27	100	generat\$3 NEAR4 DHCP NEAR2 (ID identifi\$7 location locus loci IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 16:16
S28	3	((VISWANATH) near2 (KRISHNAMURTHY)).INV.	US-PGPUB; USPAT	OR	ON	2006/08/29 16:41
S29	2	((MIR) near2 (HYDER)).INV.	US-PGPUB; USPAT	OR	ON	2006/08/29 16:41
S30	2	((SUNIT) near2 (JAIN)).INV.	US-PGPUB; USPAT	OR	ON	2006/08/29 16:41

8/31/2006 12:42:41 PM Page 3

S31	263	generat\$3 with list with client with (ID IP identifi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:16
S32	42	generat\$3 with list with client with (ID IP identifi\$7) with (slot port adapter connect\$3 plug)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:15
S33	18	S31 AND DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 09:48
S34 ·	232	generat\$3 with list with client with (ID IP identifi\$7) AND (slot port adapter connect\$3 plug)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:15
S35	1913	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) with (list set) with (client) with (ID IP identifi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:39
S36	254	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) with (list set) with (client) with (ID IP identifi\$7) with (slot port adapter connect\$3 plug)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:24
S37	28	S36 AND DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:20
S38	96896	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) with (list set table) with (ID IP identifi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:24
S39	30990	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) NEAR4 (list set table) NEAR5 (ID IP identifi\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:32
S40	628	S39 AND DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:26

S41	58	S39 SAME DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:26
542	688	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) NEAR4 (list set table) NEAR5 (ID IP identifi\$7) WITH (client)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:36
S43	41	S42 AND DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:37
S44	33	S43 NOT S41	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 10:37
S45	18465403	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:41
S46	5916334	(list set table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:41
S47	3944514	(ID identifi\$7 location locus loci IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:40
S48	4446851	(unique\$2 different exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:43
S49	17025	S45 WITH S46 WITH S47 WITH S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:47
S50	27	S49 SAME DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 14:47

S 51	2745267	(port slot adapter connector)	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	ON	2006/08/30 15:12
S52	505	S49 WITH S51	DERWENT; IBM_TDB US-PGPUB;	OR	ON	2006/08/30 15:14
332	303	313 WIN 331	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OK .		2000/00/30 13:14
S53	20	S52 AND DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:24
S54	62	S52 SAME Server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:24
S55	42	S52 with Server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:27
S56	0	(determin\$3 generat\$3) with (IP) with from with range	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:28
S57	0	(determin\$3 generat\$3) with (IP) with from with (range set area)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:27
S58	137	(determin\$3 generat\$3) with (IP) with (within from) with range	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:05
S59	9	S58 SAME DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 15:28
S60	220	(generat\$3 mak\$3 determin\$3 produc\$4 creat\$3 form\$3) with (IP) with (within from) with range	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:06

S61	16	S60 SAME DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:06
S62	7	S61 NOT S59	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 16:06
S63	220	generat\$3 near3 IP near3 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 10:38
S64	106	generat\$3 near2 IP near2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 10:38
S65	35	(generat\$3 near2 IP near2 server) SAME DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 10:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	14093	backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:30
S7	4800	(FRU) (field adj replaceable adj unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 09:51
S8	429309	bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 09:51
S9	63294	non adj volatile adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:38
S10	4104	DHCP (dynamic adj host adj configuration adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:22
S11	535839	(central adj resource) (server) (administrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:03
\$12	2124640	slot socket plug adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:04
S14	4	S7 S8 S9 S10 S11 S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/12 10:07
S15	28	S6 S8 S9 S10 S11 S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/12 10:09
S16	380	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:31
S17	2	S16 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:22
S19	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:29

			•			
S23	362	CPCI (Compact adj Peripheral adj Component adj Interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 11:02
S24	366	CPCI (Compact adj Peripheral adj Component adj (Interconnect Interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 11:07
S25	603	CPCI (Compact adj ((Peripheral adj Component adj (Interconnect Interface)) PCI))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:07
S26	247	(Intelligent adj Platform adj Management adj Interface) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 15:33
S27	27	S26 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:14
S28	115673	boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:14
S 29	153	S10 adj S28	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:58
S 30	6	(("20020023951") or ("20020078394") or ("20020062447") or ("20020044663") or ("20020083176") or ("20020050516")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 11:28
S31	1	("20020023181").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 14:18
S32	4104	DHCP (dynamic adj host adj configuration adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:59
534	115673	boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:59
\$36	29	((Intelligent adj Platform adj Management adj Interface) (IPMI)) adj protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
S39	600	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:11
S40	1525	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:12
		<u> </u>		·		

S42	102	S39 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 16:15
S43	225	S40 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:44
S46	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:29
S47	1839	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 09:59
S48	599	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 09:12
S49	137	(card (FRU (field adj replaceable adj unit))) NEAR3 (download load retrieve) NEAR3 (address id indentifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:27
S50	20	(peripheral card (FRU (field adj replaceable adj unit))) NEAR10 (download load retrieve) NEAR10 (port slot socket) NEAR10 (address id indentifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:32
S51	4248	(Intelligent adj Platform adj Management adj Interface) (Intelligent adj Platform adj Management) (IPM) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 09:51
S52	63	S51 NEAR5 (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
S53	47	unique adj (geographic\$2 adj (location address loci locus identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:23
S54	17	(unique adj (geographic\$2 adj (location address loci locus identifier))) SAME network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:33
S55	18	(provide give send load store download save retrieve) SAME (address ID indentifier) SAME (FRU (Field adj Replaceable adj Unit)) SAME (interface protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:46
S56	266	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 10:59
S 57	601	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 10:59

S58	60	S57 and (unique adj (address identidier id))	US-PGPUB; USPAT;	OR	ON	2005/09/13 11:11
			USOCR; EPO; JPO; IBM_TDB			
S59	401	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 11:11
S60	67	S59 and (unique adj (address identifier if))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:30
S61	110	S57 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:21
S62	4	("3872452" "4254473" "5581787" "5745708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 11:18
S63	381	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:31
S64	126	S63 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:22
S65	28	S63 and ((unique adj (address identifier id)) SAME (slot plug adapter socket))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:23
S66	4	(("20020087868") or ("6363423") or ("6154728") or ("20040088463")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 16:41
S67	1	("2342471").PN.	EPO	OR	OFF	2006/02/15 16:41
S68	70	S59 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:30
S69	17	("4360870" "4556953" "4675813" "4701878" "4755934" "4760553" "4773005" "4899274" "4964038" "5038299" "5038320" "5073773" "5155378" "5175822" "5204669" "5226123" "5274771").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:16
S70	16	("4368514" "4413319" "4556953" "4593352" "4905182" "4931923" "4964038" "4992976" "4993019" "5038320").PN. OR ("5581787").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:18

		•			
S71 6	("3480914" "3510843" "3573741" "3818447" "4003033" "4015244" "4025903" "4027108" "4070704" "4075693" "4155117" "4177511" "4191996" "4236207" "4253087" "4253144" "4254463" "4268901" "4293924" "4303993" "4314354" "4335426" "4356475" "4360870" "4363094" "4373181" "4400775" "4432049" "4437157" "4442504" "4454596" "4458357" "4491913" "4509113" "4514728" "4521847" "4556953" "4562535" "4563736" "4571676" "4578773" "4589063" "4604690" "4622633" "4626634" "4633392" "4654857" "460141" "4670855" "4701878" "4713834" "4718038" "4750136" "4760553" "4787025" "4787028" "4787030" "4868783" "4870704" "5014193" "5038320" "5056060").PN.		OR	ON	2006/02/22 14:16
572 424	(Intelligent adj Platform adj Management adj Interface) (Intelligent adj Platform adj Management) (IPM) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
573 25	S72 SAME (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:57
\$74	S72 NEAR20 (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:57
S75 6	S72 SAME (download load retrieve get) SAME (address id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:11
S76 7	2 S74 NOT S75	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:07
S77 3:	(download load retrieve get) NEAR2 (address id identifier) NEAR2 (port plug socket adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:14
S78 4	(download load retrieve get) NEAR (address id identifier) NEAR (port plug socket adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:12
S79 2	(download load retrieve get) NEAR3 (address id identifier) NEAR3 (port plug socket adapter) NEAR3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:14
\$80	(load download retrieve) NEAR5 (port adapter plug socket) NEAR2 (address identification) NEAR3 (memory register)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 10:07
S81	((load download retrieve send) NEAR5 (port adapter plug socket) NEAR2 (address identification number id) NEAR3 (memory register) NEAR3 (interface protocol)) NOT S80	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 10:33

S82	6	("6424654" "6618757" "6684243" "6792474" "6854072" "686 2286").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:18
S83	25	("4412281" "4710926" "4967344" "5345566" "5404465" "5513314" "5713017" "5737514" "5784547" "5796934" "5805785" "5822512" "5852724" "5968185" "6035412" "6052797" "6070191" "6092214" "6092218" "6108300" "6185695" "6247141" "6249879" "6490610" "6594776").PN. OR ("6854072").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 16:27
S84	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
585	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S86	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S87	1628	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S88	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S89	2002	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S90	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
591	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S92	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S93	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S94	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S95	5726	S84 S85 S86 S87 S88 S89 S90 S91 S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:33
S96	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S97	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S98	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S99	1629	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41

			•			
S10 0	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 1	2009	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 2	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
\$10 3	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 4	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 5	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 6	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 7	5734	S96 S97 S98 S99 S100 S101 S102 S103 S104 S105 S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S10 8	695649	(non-volatile near3 (memory storage)) (ROM EPROM EEPROM flash nv-ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:53
S10 9	4007412	(address ID identifi\$7 location offset locus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:20
S11 0	8744666	(transfer\$4 transmission move\$5 writ\$4 read\$4 send\$3 retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:15
S11 1	1767754	(slot socket plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S11 2	11691	S108 SAME S108 SAME S110 SAME S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:17
S11 3	140	S112 AND S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:19
S11 4	1399425	replac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:20

		· · · · · · · · · · · · · · · · · · ·				
S11 5	4010798	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S11 6	8656	(S115 NEAR5 S111) NEAR10 S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 7	1635475	replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 8	207	S116 SAME S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 9	3	S118 AND S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:32
S12 0	989314	(assign\$5 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:33
S12 1	439696	(static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:40
S12 2	4050317	(address ID identifi\$7 location offset locus loci IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:33
S12 3	624	S120 NEAR3 S121 NEAR3 S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:34
S12 4	1	S123 AND S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
\$12 5	1959	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:37
S12 6	1628	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:37
S12 7	1513	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38
S12 8	1063	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38
S12 9	1927	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38

S13 0	11416	S96 S97 S98 S99 S100 S101 S102 S103 S104 S105 S106 S125 S126 S127 S128 S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S13 1	91	S123 AND S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S13 2	5310370	(static fixed predetermined predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
S13 3	4050317	(address ID identifi\$7 location offset locus loci IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
S13 4	989314	(assign\$5 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
\$13 5	1767754	(slot socket plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:53
S13 6	2750	S133 NEAR5 S134 NEAR5 S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
S13 7	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S13 8	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
\$13 9	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 0	1629	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 1	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 2	2009	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 3	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 4	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55

S14 5	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 ,6	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 7	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 8	1959	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S14 9	1628	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 0	1513	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 1	1063	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 2	1927	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 3	11416	S137 S138 S139 S140 S141 S142 S143 S144 S145 S146 S147 S148 S149 S150 S151 S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
S15 4	132	S136 AND S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
\$15 5	8	("5592611" "5835696" "5936936" "5974562" "6108300" "6173312").PN. OR ("6473396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 16:06
S15 6	12061	((710/301) or (710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (710/9) or (709/226) or (709/250) or (370/254) or (713/1)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 09:29
\$15 7	4567544	(assign\$3 allocat\$3 determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:32
\$15 8	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S15 9	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S16 0	1621	(hot ADJ swap) (plug ADJ "and" ADJ play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:32

			η	,	1	·····
\$16 1	23796	S157 WITH S158 WITH S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:10
S16 2	4	S161 SAME S160	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:56
S16 3	41	S157 SAME S158 SAME S159 SAME S160	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:03
S16 4	1188	S161 AND S156	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:13
S16 5	1044	((710/301) or (710/302)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 10:13
S16 6	113	S161 AND S165	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:13
S16 7	39	("3942158" "4050098" "4165534" "4250563" "4293924" "4360913" "4404651" "4442504" "4504927" "4876664" "4882702").PN. OR ("5038317").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/27 10:37
S16 8	4567544	(assign\$3 allocat\$3 determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/28 14:50
S16 9	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:41
S17 0	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:41
\$17 1	1621	(hot ADJ swap) (plug ADJ "and" ADJ play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:53
S17 2	224398	(dedicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:13

\$17 3	738482	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 4	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 5	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 6	56	S172 with S173 with S174 with S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:21
S17 7	16936	backplane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:22
S17 8	1190	(S172 WITH S174 WITH S175)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:22
S17 9	22	S178 SAME S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:26
\$18 0	6420579	(assign\$3 allocat\$3 determin\$5 generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/28 14:50
S18 1	4015221	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 2	2664279	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 3	738978	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 4	4642	(S180) NEAR5 ((S182 S183) ADJ2 (S181))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:54

						,·
S18 5	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 6	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 7	655	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 8	1634	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 9	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 0	2013	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 1	649	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 2	277	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 3	655	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 4	423	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 5	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 6	1965	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 7	1633	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 8	1514	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 9	1064	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S20 0	1935	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S20 1	11446	S185 S186 S187 S188 S189 S190 S191 S192 S193 S194 S195 S196 S197 S198 S199 S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:54
S20 2	247	S201 AND S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:24
\$20 3	2	"4755934".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:25

\$20 4	10545	((710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (709/226) or (709/250) or (709/254) or (713/1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:03
S20 5	6263	(daisy near chain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 6	739995	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 7	286589	(master)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 8	17	S205 WITH S206 WITH S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 9	2667114	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S21 0	4019086	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S21 1	6425630	(assign\$3 allocat\$3 determin\$5 generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:17
S21 2	7779261	(transfer\$4 transmission mov\$3 writ\$4 read\$4 send\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:17
S21 3	4816	(DHCP (Dynamic ADJ Host ADJ Configuration ADJ Protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:18
S21 4	9309	(S212 NEAR3 S210 NEAR3 S206)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:21
S21 5	2	S214 SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:20

S21 6	3119	(S212 WITH S209 WITH S210 WITH S206)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:27
S21 7	6	S216 SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:23
S21 8	17	(S212 WITH S210 WITH S206) SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:48
S21 9	98	(S212 SAME S210 SAME S206) SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:49
S22 0	20	S219 AND S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:49
S22 1	2	"20040088463".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:20
S22 2	4816	(DHCP (Dynamic ADJ Host ADJ Configuration ADJ Protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 09:57
S22 3	121216	(boot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 09:58
S22 4	171	S222 ADJ S223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:27
S22 5	7201	booting	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:27
S22 6	1	S222 ADJ S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:31
S22 7	28	S222 ADJ boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 11:11

S22 8	4025705	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/03/06 11:11
S22 9	2668692	(slot socket plug interface)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:12
S23 0	412470	(slot socket plug interface) SAME S228 SAME S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:47
S23 1	388	((slot socket plug interface) NEAR3 boot) SAME S228 SAME S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:04
\$23 2	13	S231 SAME client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:49
S23 3	12011	((710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (709/226) or (709/250) or (709/254) or (713/1) or (713/2) or (713/100)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:32
\$23 4	70	S231 AND S233	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:03
S23 5	10	(S222 NEAR3 boot) SAME S228 SAME S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:05
S23 6	47691	(location port slot locus loci socket plug adapter) WITH (address identif\$4 ID) WITH (assign\$3 giv\$3 provid\$3 retriev\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:43
S23 7	453	(710/3).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 10:44
523 8	111	S236 AND S237	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:44

8/31/2006 12:43:38 PM Page 16